

DAFTAR PUSTAKA

- ADA. (2020). Classification and diagnosis of diabetes: Standards of Medical Care in Diabetes-2020. *Diabetes Care*, 43(January), S14–S31. <https://doi.org/10.2337/dc20-S002>
- Adi, H. A. (2008). *Adi, H. A. (2008). Diabetes melitus: Patofisiologi, diagnosis, dan terapi (hlm. 47–50). Fakultas Kedokteran Universitas Indonesia.*
- Al, M. A. et. (2020). Epidemiology of Type 2 Diabetes – Global Burden of Disease. *Journal of Epidemiology and Global Health*, 10(1), 107–111.
- Andri R.S. (2009). *Andri [R.S.]. (2009). Pengelolaan diabetes melitus Tipe 2. Dalam Konsensus PERKENI (hlm. 25–35). Perkumpulan Endokrinologi Indonesia.*
- Arief. (2020). Diet Dm Tipe 2. *Universtas Magelang.*
- Aulia, R., Wahyuningsih, M. S. H., & Huriyati, E. (2022). Asupan zat gizi makro dan kepatuhan minum obat antidiabetik terhadap kadar HbA1c pada penyandang diabetes melitus Tipe 2. *Jurnal Gizi Klinik Indonesia*, 19(2), 79. <https://doi.org/10.22146/ijcn.70259>
- Cheema, S., Maisonneuve, P., Zirie, M., Jayyousi, A., Alrouh, H., Abraham, A., Al-Samraye, S., Mahfoud, Z., Al-Janahi, I. M., Ibrahim, B., Lowenfels, A. B., & Mamtani, R. (2018). Risk factors for microvascular complications of diabetes in a high-risk middle east population. *Journal of Diabetes Research*, 2018. <https://doi.org/10.1155/2018/8964027>
- Clarke, P. M., Glasziou, P., Patel, A., Chalmers, J., Woodward, M., Harrap, S. B., & Salomon, J. A. (2010). Event rates, hospital utilization, and costs associated with major complications of diabetes: A multicountry comparative analysis. *PLoS Medicine*, 7(2). <https://doi.org/10.1371/journal.pmed.1000236>
- Dendup, T., Feng, X., Clingan, S., & Astell-Burt, T. (2018). Environmental risk factors for developing type 2 diabetes mellitus: A systematic review. *International Journal of Environmental Research and Public Health*, 15(1). <https://doi.org/10.3390/ijerph15010078>
- Dewi, N. A., Wahyuni, F. A., Retno, E. K., & Rahman, R. A. (2025). *Hubungan tingkat kepatuhan minum obat pada pasien diabetes melitus Tipe 2 berdasarkan nilai hba1c di. 6(September), 10120–10126.*
- Harapah M., Rostini T., S. M. (2024). Pemeriksaan Laboratorium pada Hemoglobin Terглиkasi (HbA1c): Review Standarisasi dan Implementasi Klinis. *Action Research Literate*, 8(6), 1–10. <https://arl.ridwaninstitute.co.id/index.php/arl>

- Harcahya, L. R. (2022). *Kualitas hidup penderita diabetes melitus Tipe 2 di wilayah kerja*.
- Harvita Marpaung. (2020). *citation-376192493*.
<https://doi.org/https://doi.org/10.36973/jkih.v8i2.270>
- IDF. (2024). Diabetes around the world. *Current Status of Prevention and Treatment of Diabetic Complications: Proceedings of the Third International Symposium on Treatment of Diabetes Mellitus*. ICS821, 116–122.
- Idris, H., Hasyim, H., & Utama, F. (2013). *Analysis of Diabetes Mellitus Determinants in Indonesia : A Study from the Indonesian Basic Health Research 2013*. 49(4), 291–298.
- Jalilian, H., Pezeshki, M. Z., Janati, A., Najafipour, F., Imani, A., Zozani, M. A., & Khodayari Zarnaq, R. (2019). Readiness for diet change and its association with diet knowledge and skills, diet decision making and diet barriers in type 2 diabetic patients. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 13(5), 2933–2938.
<https://doi.org/10.1016/j.dsx.2019.07.065>
- Kadita, Pati, K., Indeks, N., Ig, G., Glikemik, B., Tingkat, D. A. N., Pada, K., & Kumo, F. (2016). *Journal of Nutrition*. 4(Jilid 5), 360–367.
- Kemenkes. (2023). Indonesian Health Survey (Survei Kesehatan Indonesia) 2023. In *Ministry of Health* (pp. 1–68).
- Kibirige, D., Lumu, W., Jones, A. G., Smeeth, L., Hattersley, A. T., & Nyirenda, M. J. (2019). Understanding the manifestation of diabetes in sub Saharan Africa to inform therapeutic approaches and preventive strategies: a narrative review. *Clinical Diabetes and Endocrinology*, 5(1), 1–8. <https://doi.org/10.1186/s40842-019-0077-8>
- Lenaini, I., Islam, U., Raden, N., & Palembang, F. (2021). *teknik pengambilan sampel purposive dan*. 6(1), 33–39.
- Liu, Z., Fu, C., Wang, W., & Xu, B. (2010). *Prevalence of chronic complications of type 2 diabetes mellitus in outpatients - a cross-sectional hospital based survey in urban China*.
- Micha, R., Peñalvo, J. L., Cudhea, F., Imamura, F., Rehm, C. D., & Mozaffarian, D. (2017). Association between dietary factors and mortality from heart disease, stroke, and type 2 diabetes in the United States. *JAMA - Journal of the American Medical Association*, 317(9), 912–924. <https://doi.org/10.1001/jama.2017.0947>
- Michael & Isaac. (1995). *Metode Penelitian (Dasar Praktik dan Penerapan Berbasis ICT)* (M. P. Ervi Novitasari, S.Pd. (ed.)). PT. Mifandi Mandiri Digital.
- Nisa, A., Arjita, I. P. D., Mardiah, A., & Pramana, K. D. (2023). *Hubungan kepatuhan diet dengan kadar glukosa darah penderita diabetes*

melitus Tipe 2 di puskesmas karang. 05(01), 91–101.

- Nurfika Assari, Dini R, D. (2025). Musyawarah Masyarakat Desa (MMD I dan MMD II) Serta Implementasi Praktif Profesi Kepreawatan KOMunitas di RW 10 RT 01-06 Kecamatan Priuk KOta Tangerang. *Ilmu Kesehatan*, 4(1), 1–6. <https://doi.org/10.5455/mnj.v1i2.644xa>
- Pakar Gizi Indonesia. (2016). 16. *buku ilmu gizi teori dan aplikasi_compressed.pdf*.
- Purbowati, A. M. (2026). *JGK-Vol.18, No.1 Januari 2026*. 18(1), 26–31.
- Riskesdas. (2013). *Riset kesehatan dasar*.
- Rizki, W., & Akasyah, W. (2024). *Hubungan kepatuhan diet dan gaya hidup terhadap kadar gula darah pada pasien diabetes mellitus type 2 relationship between diet compliance and lifestyle with blood sugar levels in type 2 diabetes mellitus patients*. 126, 158–164.
- Roza, N. (2015). Kepatuhan Pasien Rawat Inap Diet Diabetes Mellitus Berdasarkan Teori Kepatuhan Niven. *Ekp*, 13(3), 1576–1580.
- Salasa, R. A., Rahman, H., & Andiani, A. (2019). Faktor Risiko Diabetes Mellitus Tipe 2 Pada Populasi Asia: A systematic Review. *Jurnal Biosainstek*, 1(01), 95–107. <https://doi.org/10.52046/biosainstek.v1i01.306>
- Sanda, A., Mangarengi, F., & Pakasi, R. D. N. (2018). Kadar Asam Urat Berkorelasi dengan Kadar Hemoglobin Terглиkolisasi (HbA1c) Pasien Diabetes Melitus Tipe 2. *Cermin Dunia Kedokteran*, 45(6), 405–407. <http://www.cdkjournal.com/index.php/CDK/article/viewFile/650/420>
- Setyaningrum, D. E., & Sugiyanto, Z. (2015). Faktor Risiko Yang Berhubungan Dengan Kejadian Diabetes Melitus Tipe 2 Pada Usia Kurang Dari 45 Tahun Di RSUD Tugurejo Semarang. *Jurnal Visikes*, 14(2), 115–122.
- Shiyan, S., Arsela, D., Latifah, E., Farmasi, P. S., & Matematika, F. (2017). Aktivitas antidiabetes ekstrak etanolik daun kopi robusta (*Coffea canephora*) pada tikus diabetes Tipe 2 yang diberi diet lemak tinggi dan sukrosa antidiabetic activity of ethanolic extract from *Coffea canephora* leaves in rats diabetes. *Journal Farmasi Sains Dan Praktis*, III(2), 39–46.
- Sihombing, J. R., & Margareta, E. (2024). Analisa Kadar HbA1c Pada Penderita Diabetes Melitus Tipe 2 di RSU Martha Friska Multatuli. *Sari Mutiara*, 1–7.
- Simon, K., & Wittmann, I. (2019). Can blood glucose value really be referred to as a metabolic parameter? *Reviews in Endocrine and Metabolic Disorders*, 20(2), 151–160. <https://doi.org/10.1007/s11154-019-09504-0>

- Soegondo, S., Soewondo, P., & Subekti, I. (2004). *Soegondo, S., Soewondo, P., & Subekti, I. (2004). Penuntun belajar ilmu penyakit dalam: Diabetes melitus. Jakarta: Balai Penerbit FKUI.*
- Subagjo, I. E., Lumadi, S. A., & Handian, F. I. (2024). Hubungan Kepatuhan Diet Dengan Insiden Komplikasi DM Tipe 2: Literature Review. *Jurnal Akademika Baiturrahim Jambi*, 13(1), 25–37. <https://doi.org/10.36565/jab.v13i1.676>
- Sugiyono. (2019). *Buku Ajar Metodologi Penelitian (Penelitian Kualitatif dan kuantitatif).*
- Sun, H., Saeedi, P., Karuranga, S., Pinkepank, M., Ogurtsova, K., Duncan, B. B., Stein, C., Basit, A., Chan, J. C. N., Mbanya, J. C., Pavkov, M. E., Ramachandaran, A., Wild, S. H., James, S., Herman, W. H., Zhang, P., Bommer, C., Kuo, S., Boyko, E. J., & Magliano, D. J. (2022). IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. *Diabetes Research and Clinical Practice*, 183, 109119. <https://doi.org/10.1016/j.diabres.2021.109119>
- Tjekyan, R. M. S. (2014). Angka Kejadian dan Faktor Risiko Diabetes Melitus Tipe 2. *Majalah Kedokteran Sriwijaya*, 46(2), 85–94.
- Tsalissavrina, I., Tritisari, K. P., Handayani, D., Kusumastuty, I., & Ariestiningsih, A. D. (2018). Hubungan lama terdiagnosa diabetes dan kadar glukosa darah dengan fungsi kognitif penderita diabetes Tipe 2 di Jawa Timur. *AcTion: Aceh Nutrition Journal*, 3(1), 28. <https://doi.org/10.30867/action.v3i1.96>
- Unicef. (2021). *UNICEF: Anak Pneumonia*. 3. <http://journal.scientic.id/index.php/sciena/issue/view/20>
- Utomo, A. dkk. (2020). Faktor Risiko Diabetes Mellitus Tipe 2: A Systematic Review. *AN-Nur: Jurnal Kajian Dan Pengembangan Kesehatan Masyarakat*, 1(1), 44–52.
- Wahyudi, dian arif, Susanto, G., Stiexs, A., Wahyudi, M. T., & Wisnu, S. (2023). Hubungan Kadar Glukosa dan Tekanan Darah dengan Kejadian Ulkus Diabetikum pada Pasien DM Tipe 2 di Puskesmas Tiuh Tohou Menggala. *Health Research Journal of Indonesia*, 1(6), 229–236. <https://wpcpublisher.com/jurnal/index.php/HRJI/article/download/228/169>
- Wang, M., & Hng, T. (2021). Standards of medical care for patients with diabetes mellitus. *Diabetes Care*, 12(5), 365–368. <https://doi.org/10.2337/diacare.12.5.365>
- Warmi Hernida, Sari Nurwinda Nova, & Kurniasari Septi. (2020). Pola Makan Dengan Kadar Glukosa Darah Pada Penderita Diabetes Melitus Tipe 2. *Jurnal Riset Media Keperawatan*, 3(1), 30–35.

<https://ojs.stikessaptabakti.ac.id/index.php/jrmk/article/download/75/60/191>

WHO. (2003). *Adherance To Long -Term Therapies World Health Organization 2003.*

Windusari. (2021). *Hubungan kepatuhan diet terhadap pengendalian kadar gula darah pada pasien diabetes melitus Tipe 2. Dm*, 1002–1010.